

# Pacific Import Co.

Incorporated.  
Progress Block, Fort Street

## Special Sale Irish Linen Lawn.

WE are now offering for a few days only 65 pieces Real Linen Lawn—12 yard pieces, 38 inch wide, at **\$3.50 a piece**  
75 pieces, Real Linen Lawn, 38 inches wide, **\$4.50 a piece**

## SPECIAL P. K. SALE

50 pieces White P. K., excellent quality, worth 25 cents, on sale at

**20 cents per yd**

## SPECIAL WHITE SWISS SALE

58 inches White Swiss Special at


**30 cents**

## Do not miss our Taffeta Silk Sale

We are now offering a good quality of heavy Taffeta in all shades at

**75 cents per yd**

## See Our Window Display



## Gasoline Engines

AND HOISTS  
For all kinds of Work  
(LAND AND MARINE)  
Running Pumps,  
Dynamos and Machinery

THE UNION ENGINE

Sole Agents: THE VON HAMM YOUNG CO. LTD.

## "Just as the Sun Went Down"

Was the time when he wanted a light and couldn't find a match.  
If he had let us wire his house for ELEC. THE LIGHTS he would have saved annoyance. Our work is first class and our prices are as low as is consistent with best material.

Give Us an Opportunity to Figure with You.

T. Leslie DeCew

J. M. Thompson

## The Union Electric Co.

OFFICE—611 North King St., Honolulu, T. H. P. O. BOX 65.

SOMETHING NEW!

TRY IT!

## BAKER'S EGG!

Put up in 1 lb. cans. For sale by all First-class Groceries.  
Used for making Omelettes, Cakes, Custards, Etc.

HIGHLAND AND PET CREAMS  
CALIFORNIA CANNERS CO.'S CANNED GOODS  
ALPINE CEMENT, WALL PLASTER  
READY ROCK ROOFING, MORTAR STAINS  
And all kinds of Building Supplies

## HAWAIIAN TRADING CO., Ltd.

GENERAL AGENTS

532 Fort Street

Love Building

READ THE REPUBLICAN, READ THE REPUBLICAN

### BUSY HAND OF DEATH.

One Hundred and Nine Reported in December—Yesterday's Record.

The last day of the old year marked the issuance of a large number of death certificates and burial permits from the office of the board of health. The total deaths for the month of December up to and including yesterday afternoon amounted to 109, which is the largest total within the past five months, and only exceeded by the number filed during the months in which the plague was epidemic in this city. The death rate for July was but little in excess of the past month. Late permits were issued for the following:

Wong She, a Chinese woman, aged 38, at Relief Camp No. 2, Vineyard street, of consumption. Interment at Pauoa.

The infant child of K. Nishinada, Japanese, died at Vineyard near Nuuanu street, Saturday. Interment at Makiki.

Pneo, Hawaiian, 40 years old, previously reported. The case was investigated by Drs. Wood and McDonald. Inanition was given as the cause of death. Interment at Makiki.

D. L. Naone, Hawaiian, residing on Beretania, between Alapai and Punchbowl streets, of cerebral congestion. Interment at Kawaiahaoo.

Infant of David Punohu, Hawaiian, residing at Kewalo, end of Queen street, of diarrhoea. Burial at Catholic cemetery.

Allen Heana, aged 7 months, Hawaiian, died at King street opposite Catholic cemetery. Post mortem examination by Drs. Pratt and Burgess, resulted in finding cause of death from enteritis and bronchitis. Burial at Kawaiahaoo.

Hakau, Hawaiian woman, aged 75 years, died at Lunaliilo Home, of old age. Burial at Makiki.

Joe Cabral, Jr., an infant Portuguese residing on Punchbowl road, opposite Emma street, died yesterday. Interment at Catholic cemetery.

Lepoka, Hawaiian woman, aged 64 years, residing in Kamahua road near Catholic church, died of gastro enteritis. Burial at Kalia Catholic cemetery.

Kauloa Lillih, Hawaiian, aged 31

years, an inmate of Oahu Insane Asylum, died from chronic meningitis. Interment Waikiki church cemetery.

Ah Hoo, a Chinese woman, aged 25 years, residing on Liliha above King street, died of phthisis. Interment at Pauoa.

Kapaipi, Hawaiian woman, aged 35 years, residing on Queen street opposite the brewery, died of phthisis pulmonalis. Interment at Kawaiahaoo.

Peter W. Barnett, aged 29, native of Kentucky, died at Victoria hospital of tubercular laryngitis. Interment at Makiki.

**Mill Company Incorporated.**  
Incorporation papers have been taken out by the Pacific Mill Co., Ltd. The purpose for which this incorporation was created is the manufacture of sashes, doors, blinds, furniture and other wood work. The capital stock is \$12,000. The incorporators are W. H. G. Arnemann, Emmett May, L. M. McKeague, R. C. Reer, W. P. Barry and J. A. Byrne.

### That Means Rheumatism.

Sore and swollen joints, sharp shooting pains, torturing muscles, no rest, no sleep. That means rheumatism. It is a stubborn disease to fight but Chamberlain's Pain Balm has conquered it thousands of times. It will do so whenever the opportunity is offered. Try it. One application relieves the pain. For sale by Benson Smith & Co., General Agents for Territory of Hawaii.

## BY AUTHORITY

### AMENDMENTS TO PLUMBING REGULATIONS OF THE BOARD OF HEALTH FOR HONOLULU DISTRICT.

At a meeting of the Board of Health held on the 26th day of December, 1900, the following Plumbing Regulations of the Board of Health for Honolulu District were revised and amended so that the said sections shall read as follows:

**Disposal of Plans, Section 4.**—When a permit is issued the application signed by the Master Plumber, together with the plans and specifications, shall be filed with the Inspector of Plumbing, and shall thereafter remain in the custody of said Inspector. When it is desirable to make any changes in the plumbing work from that specified in the permit therefor, the plumber shall give notice to the Inspector of Plumbing, presenting the original permit for changes and alterations. The Inspector shall be notified when work is ready for inspection and test, and all work shall be left uncovered for examination until such test has been completed.

#### House Sewer.

Section 7. The term house sewer is here used to designate that part of the drain between the sewer or cesspool and to within 5 feet of any building. It shall not be less than 4 inches or more than 6 inches in diameter, and may be of cast iron pipe or salt-glazed vitrified sewer pipe, and shall be laid to a true grade. Changes in direction shall be made by "Y" branches and bends. If vitrified pipe is used it shall have a fall of at least one-quarter of an inch to the foot, the joints shall be made of mortar composed of equal parts of Portland Cement and clean-sifted sand; said joints to be covered with cloth in laying; a disk entirely filling the pipe shall be kept in the pipe and drawn forward as each length is laid. If cast iron pipe is used it shall be of the quality known as EXTRA HEAVY, and it shall have a fall of not less than three-sixteenths of an inch to the foot. There shall be no obstruction to the free flow of air in the house sewer when connected with the public sewer.

#### House Drains.

Section 8. The term house drain is here used to designate that part of the drain under the first floor of the building and extending five feet outside of the walls of the building. The house drain shall be of iron pipe not less than four inches in diameter and shall have a fall of not less than 3-16 of an inch to the foot. In buildings of one story the grade of cast iron pipe commercially known as STANDARD may be used above the ground only. In buildings of over one story the grade of cast iron pipe commercially known as EXTRA HEAVY shall be used. It shall be securely ironed to walls or laid in trenches of uniform grade or suspended to floor timbers by strong iron hangers as the Plumbing Inspector may direct. The house drain must be continued unobstructed and undiminished in size, to at least two feet above the highest line of the roof, and the open end must be at least ten feet from any opening in the building and from any adjoining building.

#### Soil Pipe.

Section 9. The term soil pipe is here used to designate the vertical pipe to which one or more water closets and other fixtures are connected. It shall be of iron pipe not less than four inches in diameter, and if of cast iron, in buildings of over one story, shall be of EXTRA HEAVY grade. It shall be continued unobstructed and undiminished in size through the roof, the same as the house drain. Horizontal soil and waste pipes are prohibited. A wire guard shall be put at the top of the soil pipe.

#### Iron Pipe.

Section 10. Iron pipe may be of cast

## CHEAPER

TO MOVE THAN PAY RENT is the saying, but we don't believe it. We have moved twice within a year, we had to in order to erect our new building. We have now moved from the store next to JOHN WOTT to our new building on the

## CORNER OF FORT AND KING STS.

At present we are occupying the upper floor and basement as the carpenters are not through work on the main floor. We ask our friends to overlook the inconvenience and confusion that will exist for a few weeks yet. When once we are settled we will be able to take care of you and attend to your wants in first class shape.

Our BICYCLE SHOP is now running in the new store and we have a fine line of wheels—

## Columbias, Ramblers and Clevelands

and a lot of good wheels suitable for the little folks for Christmas at prices that will suit everyone.

Call at the corner of Fort and King Sts., King Street side, **Upstairs**, and see the result of a Kansas Cyclone.

## E. O. HALL & SON, Limited

HALL BUILDING, CORNER OF FORT AND KING STS.

galvanized. All cast iron pipes must be thoroughly sound and of a uniform thickness throughout. All cast iron pipes shall be covered inside and outside with a coating of asphaltum or other preparation equally as good. Changes in direction shall be made by Y branches and bends. Sanitary T's may be used in vertical runs. Brass clean-out connections located in accessible places must be put in a house drain at the foot of each vertical riser, and at every change in horizontal direction of the drain. Tin pipes and pipes made from sheet metal shall not be used.

#### Traps.

Section 11. Every fixture having an open end shall be separately and independently trapped as near the opening as is practical, and in no case more than twenty-four inches away from it. The form of the trap is to be approved by the Inspector of Plumbing. It shall be placed above the floor in some easily accessible place approved by the Inspector of Plumbing, and is so to be constructed that it can be readily cleaned. The size of the trap shall be the same as the waste pipe it serves, but in no case is it to be less than 1-1/4 inches in diameter. Pantry and kitchen sinks are to be provided with an approved grease trap to be placed as near the sink as is practical, but in all cases a grease trap shall be placed immediately under the sink of every hotel, eating house, restaurant, market or other public cooking establishment; the form of said trap to be approved by the Plumbing Inspector.

#### Joints in Traps.

Section 13. All the joints and connections in cast iron pipe shall be packed with picked oakum and run with molten lead and shall be well calked, joints and connections in lead pipe shall be made with "wiped joint;" connection of lead with iron pipe shall be with a brass ring or soldering nipple "calked in and wiped joints;" joints in galvanized wrought iron pipes shall be by screw couplings, the thread being first covered with lead.

#### Water Closets.

Section 14. The use of pan closets, hopper closets and plunger closets is prohibited, except in isolated out-buildings special permission may be granted to use the low hopper closet. The size of the vent pipe to the trap of the closet shall not be less than two inches in diameter, and this must be increased in size if more than four closets are vented through one pipe. All closets or groups of closets must be supplied with water from tanks holding not less than four gallons for each closet flushed, and the flushing pipe must not be less than 1-1/4 inches in diameter to each closet. No water closet or urinal shall be placed or maintained in a room in which there is not a window opening direct to the external atmosphere. Where the supply of water is not ample or regular for the purpose of flushing of water closets, the Inspector of Plumbing may require the erection of a suitable tank as a reservoir from which water may be drawn for this purpose.

All urinals or groups of urinals to be supplied with water for flushing from automatic flush tanks or continuous stream. The floors and sides around the urinal or urinals shall be covered with non-corrosive and non-absorbing material. No safe wastes are to be used about urinals. Safe wastes from other fixtures are not to be connected directly or indirectly with any sewer.

#### Waste Pipe.

Section 15. The last portion of Section 15 is amended to read as follows: The waste pipe from refrigerators or other receptacle in which provisions are kept shall not connect directly with the sewer, but it shall be trapped and the discharge allowed to drip into a sink in daily use, or be conveyed to the ground away from the building. The open end of waste pipes must in all cases be covered with metallic screen not easily removed, that has a mesh not exceeding 1-4 of a square inch in area.

#### Sinks, Slop Hoppers and Wash Trays.

Section 16. Sinks, wash trays and slop hoppers of wood shall not be permitted. Slop hoppers may be used in

inches in thickness and covering a surface at least three feet on all sides from the place of discharge. The surface of floor shall slope at least two inches to the foot toward the center where the discharge pipe is located. The outer edges shall be level and shall be at least two inches above the slope of the floor proper. The whole surface shall be covered with a thick coat of mortar made of one part Portland cement and one and one-half parts of clean-sifted sand, the surface troweled smooth. The discharge pipe shall be covered with a heavy metal screen at least 1-4 of an inch in thickness, the meshes not exceeding 1-4 of an inch in diameter, and so secured in place that it cannot be removed. The discharge pipe shall be trapped and the trap vented if within five feet of any building. If the Inspector of Plumbing deem necessary, an approved dirt-catcher shall be constructed upon the sewer side of the trap. The dirt catcher shall be of iron or mortar masonry, and shall be covered with a tight fitting iron cover large enough to afford access for removing the intercepted dirt and properly secured in place. Sinks or faucets for supplying water for domestic use, located in open yards must be placed over a slop hopper. Pantry and kitchen sinks are to be of galvanized or enameled iron, provided, however, sinks of wood may be lined with either lead or copper, and when said lining is of lead it shall not be less than five pounds per foot, and when of copper not less than sixteen oz. planished or eighteen oz. sheet. They must have strong metallic strainers over the outlet to prevent obstruction of the waste pipe.

#### Traps on Main Drain and Fresh Air Inlet.

Section 18. There shall be a trap in the house sewer whenever it is to be connected with the cesspool. The style of trap to be approved by the Inspector of Plumbing, and it shall be placed as near the cesspool as practicable. A fresh air inlet connection shall be made from the house sewer on the highest side of the trap and not more than six feet from it; said fresh air inlet to be not less than four inches in diameter. Exhaust Pipes, Etc. Section 19. No steam exhaust, blow-off pipe or drip pipe shall be connected with the public sewer. Object of Sewers. Section 18 of the old Regulation is amended to read Section 20 in the new Regulation. Fixture to Be Two Feet Above Tide. Section 19 of the old Regulation is amended to read Section 21 of the new Regulation. Exposed Plumbing. Section 20 of the old Regulation is made Section 22 of the new Regulation and amended to read as follows: fixtures be left exposed to view as much as possible, and when covered to provide easy means of access to all parts of the work. In no case is a pipe to be built into a masonry wall except to pass directly through it, unless supplied with a face board put on with screws, and shall not be covered from view until after the work has been examined by the Inspector. Final Inspection. Section 21 of the old Regulation is amended to read Section 23 of the new Regulation, and further amended by striking out the word "written." Penalty. Section 24. Section 22 of the old Regulation is amended to read Section 24 of the new Regulation. Interpretation of the Rules. Section 25. Section 23 of the old Regulation is amended to read Section 25 of the new Regulation. Previous Plumbing. Section 26. Section 24 of the old Regulation is amended to read Section 26 of the new Regulation. Rules and Regulations. Section 27. All Rules and Regulations and parts thereof in conflict herewith are hereby repealed. When to Take Effect. Section 28. Section 25 of the old Regulation is amended to read Section 28 of the new Regulation.

### THE BEST

AT THE LOWEST PRICE AT

## HOPP'S

### BEDROOM SETS

in many different kinds of wood.

### PARLOR SETS

### CHIFFONNIERS

### ODD CHAIRS

### AND ROCKERS

### MIRRORS

The Best Make.

### PORTIERRES, RUGS

### AWNINGS

Made to Order

### UPHOLSTERING

### FURNITURE REPAIRED

## J. HOPP & CO.,

THE LEADING FURNITURE DEALERS

KING & BETHEL STREETS

## BEAVER LUNCH ROOMS

Just received a fine assortment of BRIAR PIPES, MEERSCHAUM PIPES, CHERRY PIPES, GERMAN PIPES, ALSO TOBACCO POUCHES, GIGAR AND GIGARETTE HOLDERS IN AMBER AND MEERSCHAUM.

## H. J. NOLTE,

### Exhibition and Sale OF ELEGANT, FANCY, WORK

Sofa Pillows, Burnt Work, Embroidered Linen, and Center Pieces, Dollies, Cushion Covers, Etc., Suitable for

### Holiday : : Presents

At the

### CITY : FURNITURE : STORE

Mrs. H. H. Williams. FORT ST. LOVE BLDG.

### DR. W. J. GALBRAITH.

Office and Residence:

CORNER BERETANIA AND ALAKEA STS. OFFICE HOURS—9 to 10 A. M., 2 to 4 P. M., and 7 to 8 P. M. SUNDAYS—9 to 10 A. M., 7 to 8 P. M. TELEPHONE 204.

### The Union Express Co.,

Office with Evening Bulletin.

410 King Street Telephone 86.

We move safes, pianos and furniture. We haul freight and lumber. We sell black and white sand. We meet all incoming coast steamers, we check baggage on all outgoing steamers.

W. LARSEN, Manager.

### Honolulu Iron Works Co Steam Engines

BOILERS, SUGAR MILLS, COOLERS, BRASS AND LEAD CASTINGS, and Machinery of every description made to order. Particular attention paid to ship's blacksmithing. Job work executed on shortest notice.

### J. H. FISHER & CO.,

Members of Honolulu Exchange

### Stock and Bond Brokers

41 FORT STREET.